



## JieFei Bearing Co., Ltd

High Precision Manufacturer Price Single Row  
Deep Groove Ball Bearing 6903 6338 Open Zz RS  
2RS for Auto Parts

Bearing No. 6903

Days to Ship	9 Days or more
RoHS	6
Bearing Style	Open Type
d	17
D	30
B	7
Basic Dynamic Load Rating Cr(N)	4600
Allowable Rotational Velocity(Grease Lubrication)(rpm)	24000
Basic Static Load Rating Cor(N)	2550
Sealing Structure	Open Type
Type	Ball
Bearing Ring Material	Steel
Outer Ring Shape	Flat
Precision	Grade 0
Specifications, Environment	Standard
Load Type	Radial
Number of Raceway Ring Rows	Single Row
Size Standards	Metric System
Transmitter Material	Steel
Retainer Type	Punching
Type	Ball
Bearing Ring Material	Steel



## JieFei Bearing Co., Ltd

Outer Ring Shape	Flat
Precision	Grade 0
Specifications, Environment	Standard
Load Type	Radial
Number of Raceway Ring Rows	Single Row
Size Standards	Metric System
Transmitter Material	Steel
Retainer Type	Punching
Inner/Outer Ring Material	[Steel] Steel
I.D.( $\varnothing$ )	17
O.D.( $\varnothing$ )	30
Width	7 mm
Basic Dynamic Load Rating(N)	4600
Max. Allowed rpm(rpm)	24000
Rolling Element Material	[Steel] Steel
Basic Load Rating, Static Rating(N)	2550
Clearance sign	CN (standard)
Accuracy(Class)	Class 0
Acoustic Symbol	No
Holder Symbol	No
Symbol of Bearing Ring Shape	No
Seal, Shield Symbols	No
Precision Grade Symbol	No
Special Configurations Code	No
Rubugado Symbol	No
Material Symbol	No
Spacer, Sleeve symbol	No
Types	No
Load Direction	Radial



## JieFei Bearing Co., Ltd

Outer Ring	With Outer Ring
Combination symbol	No
Low Torque Specification	No
Internal Symbol	No
Torque Symbol	No
Load Direction	Radial
Outer Ring	With Outer Ring
Combination symbol	No
Low Torque Specification	No
Internal Symbol	No
Torque Symbol	No
Specifications/Environment	Standard