



JieFei Bearing Co., Ltd

Deep Groove Ball Bearings 6900 2RS, 6901 2RS,
6902 2RS, 6903 2RS, 6904 2RS, 6905 2RS, 6906
2RS, 6907 2RS, 6908 2RS, 6909 2RS, 6910 2RS,
6911 2RS, 6912 2RS

Bearing No. 6900

Days to Ship	9 Days or more
RoHS	6
Bearing Style	Open Type
d	10
D	22
B	6
Basic Dynamic Load Rating Cr(N)	2490
Allowable Rotational Velocity(Grease Lubrication)(rpm)	33000
Basic Static Load Rating Cor(N)	1130
Sealing Structure	Open Type
Type	Ball
Bearing Ring Material	Steel
Outer Ring Shape	Flat
Precision	Grade 0
Specifications, Environment	Standard
Load Type	Radial
Number of Raceway Ring Rows	Single Row
Size Standards	Metric System
Transmitter Material	Steel
Retainer Type	Punching
Type	Ball
Bearing Ring Material	Steel



JieFei Bearing Co., Ltd

Outer Ring Shape	Flat
Precision	Grade 0
Specifications, Environment	Standard
Load Type	Radial
Number of Raceway Ring Rows	Single Row
Size Standards	Metric System
Transmitter Material	Steel
Retainer Type	Punching
Inner/Outer Ring Material	[Steel] Steel
I.D.(\varnothing)	10
O.D.(\varnothing)	22
Width	6 mm
Basic Dynamic Load Rating(N)	2700
Max. Allowed rpm(rpm)	32000
Rolling Element Material	[Steel] Steel
Basic Load Rating, Static Rating(N)	1270
Clearance sign	CN (standard)
Accuracy(Class)	Class 0
Acoustic Symbol	No
Holder Symbol	No
Symbol of Bearing Ring Shape	No
Seal, Shield Symbols	No
Precision Grade Symbol	No
Special Configurations Code	No
Rubugado Symbol	No
Material Symbol	No
Spacer, Sleeve symbol	No
Types	No
Load Direction	Radial



JieFei Bearing Co., Ltd

Outer Ring	With Outer Ring
Combination symbol	No
Low Torque Specification	No
Internal Symbol	No
Torque Symbol	No
Load Direction	Radial
Outer Ring	With Outer Ring
Combination symbol	No
Low Torque Specification	No
Internal Symbol	No
Torque Symbol	No
Specifications/Environment	Standard